



LiposoMore® – Advanced Liposomal Ingredients
Delivering Premium Nutrition Through Science & Innovation

**A Liposomal Brand Exclusively Owned by
Joyful Nutritional Supply Co.,Ltd.**

Comprehensive Technical Monograph: LiposoMore™ Liposomal Vitamin B2 Powder

1. Executive Summary

This Comprehensive Technical Monograph serves as the definitive authoritative guide and Product Master File for **LiposoMore™ Liposomal Vitamin B2 Powder**, a flagship nutraceutical ingredient developed and manufactured by **Joyful Nutritional Supply Co., Ltd.** This document is meticulously architected for senior product formulators, quality assurance directors, and regulatory affairs specialists who demand an exhaustive understanding of the product's physicochemical architecture, pharmacokinetic superiority, and manufacturing rigor.

In the contemporary landscape of functional nutrition, the efficacy of water-soluble vitamins is frequently compromised by physiological rate-limiting steps. Riboflavin (Vitamin B2), while ubiquitous in cellular metabolism, suffers from poor solubility (approx. 0.1 mg/mL) and a saturable absorption mechanism in the proximal small intestine that severely limits the bioavailability of high-dose supplementation.¹ LiposoMore™ Liposomal Vitamin B2 Powder represents a paradigm shift in overcoming these biological barriers. By engineering a proprietary "Pro-Liposome" matrix—comprising non-GMO phospholipids and a structural scaffold of Arabic Gum—Joyful Nutritional Supply Co., Ltd. has created a free-flowing, water-dispersible powder that mimics the body's own cellular membranes.³

This monograph synthesizes data from the specific Certificate of Analysis (COA), peer-reviewed scientific literature, and industry benchmarks. It provides a granular analysis of the product's 35.6% Vitamin B2 assay, its superior stability profile (Loss on Drying < 1.1%), and its exceptional purity regarding heavy metals and microbiology.³ Furthermore, it elucidates the "Trojan Horse" mechanism of liposomal delivery, which bypasses carrier-mediated transport bottlenecks to deliver enhanced cellular energy support, migraine prophylaxis potential, and

antioxidant protection.⁵

2. Manufacturer Profile and Brand Heritage

2.1 Joyful Nutritional Supply Co., Ltd.: Corporate Identity

Joyful Nutritional Supply Co., Ltd. operates at the intersection of biotechnology and functional nutrition. Headquartered in the innovation hub of Shenzhen, China, the company has established itself as a premier supplier of advanced delivery systems for the global nutraceutical market.³ The company distinguishes itself through a rigorous commitment to "Green Chemistry" and "Bio-Mimetic Engineering," focusing on bridging the gap between raw ingredient potential and actual physiological bioavailability.

The manufacturing facility, located in the Baoan District, operates under strict Good Manufacturing Practices (GMP) and adheres to global quality standards including ISO 22000 and HACCP protocols.³ This operational rigor ensures that every kilogram of raw material is traceable, safe, and consistent—a critical requirement for multinational supplement brands.

2.2 The LiposoMore™ Brand Philosophy

LiposoMore™ is the dedicated brand identifier for Joyful Nutritional Supply's premium line of liposomal ingredients. The nomenclature itself—a portmanteau of "Liposome" and "More"—reflects the core value proposition: **More Absorption, More Stability, and More Bio-efficacy.**⁹

The LiposoMore™ technology platform addresses the three critical failure points of traditional vitamin supplementation:

1. **Gastric Degradation:** Protecting labile nutrients from the harsh pH of the stomach.⁴
2. **Absorption Bottlenecks:** Circumventing saturable transport proteins via lipid-mediated endocytosis.⁶
3. **Formulation Instability:** Converting unstable liquid liposomes into robust, shelf-stable powders via Arabic Gum micro-matrix encapsulation.¹¹

By specifying LiposoMore™, formulators signal to consumers a commitment to next-generation efficacy and scientific validation.

3. Product Identity and Chemical Characterization

3.1 Active Ingredient Profile: Riboflavin

The active moiety in LiposoMore™ is Riboflavin (Vitamin B2), a yellow-orange, fluorescent compound that is fundamental to human life. It serves as the precursor for two essential coenzymes: Flavin Mononucleotide (FMN) and Flavin Adenine Dinucleotide (FAD). These coenzymes act as prosthetic groups for oxidoreductases (flavoproteins), which are pivotal in the electron transport chain, fatty acid oxidation, and the metabolism of other B vitamins (B6, B9, B3).²

- **Chemical Name:** 7,8-Dimethyl-10-benzo[g]pteridine-2,4-dione.
- **Common Name:** Vitamin B2, Riboflavin.
- **Molecular Formula:** C₁₇H₂₀N₄O₆.
- **Molecular Weight:** 376.36 g/mol.¹
- **CAS Number:** 83-88-5.¹³
- **Appearance:** In its crystalline form, it is an orange-yellow powder with a bitter taste. In LiposoMore™, this bitterness is masked by the lipid-gum matrix.³

3.2 The Liposomal Matrix: Phospholipids and Arabic Gum

The "Liposomal" designation refers to the structural arrangement of the ingredient. LiposoMore™ does not merely mix riboflavin with fat; it engineers a supramolecular assembly.

- **Phospholipids (The Membrane):** Derived from Identity Preserved (IP) Non-GMO Soy or Sunflower lecithin, these amphiphilic molecules (Phosphatidylcholine, Phosphatidylethanolamine) self-assemble into bilayers in an aqueous environment. This bilayer encapsulates the water-soluble riboflavin, shielding it from external interactions and mimicking the cell membrane of the human enterocyte.³
- **Arabic Gum (The Stabilizer):** Also known as Acacia Gum, this complex polysaccharide derived from the *Acacia senegal* tree plays a dual role. First, it acts as a steric stabilizer during the liquid liposome formation, preventing vesicle fusion. Second, and most critically, during the spray-drying process, it forms a "glassy" protective shell around the liposomes. This prevents the phospholipids from oxidizing (rancidity) and maintains the vesicular structure in a dry state until rehydration in the digestive tract.¹¹

4. Technical Data Sheet (TDS) and Specification Analysis

The following specifications are derived from the uploaded Certificate of Analysis (COA) for Batch No. JN20250503005 and represent the strict release criteria for LiposoMore™ Vitamin B2 Powder. This data establishes the "Gold Standard" for the product.³

4.1 General Description and Organoleptics

Parameter	Specification	Typical Result	Method / Reference
Product Name	LIPOSOMAL Vitamin B2 Powder	--	3
Brand	LiposoMore™	--	3
Botanical/Chemical Source	Riboflavin (Fermentation), Phospholipids, Arabic Gum	--	3
Active Ingredient	Vitamin B2 (Riboflavin)	--	3
Physical Form	Fine Free-Flowing Powder	Conforms	Visual ³
Color	Orange Yellow	Pass	Visual ³
Odor	Odorless	Pass	Organoleptic ³
Solubility	Dispersible in water (forms suspension)	Pass	Visual ³

Insight: The "Odorless" specification is significant. Standard Vitamin B2 often has a distinct, yeast-like odor. The liposomal encapsulation effectively sequesters the active ingredient, neutralizing the odor profile, which is highly advantageous for powder drink mixes and gummies.³

4.2 Physiochemical Specifications

Parameter	Specification Range	Typical Result	Analytical Relevance
Assay (Vitamin B2)	33.0% – 40.0%	35.6%	High potency allows for smaller capsule sizes compared to liquid liposomes (typically 10-20% active). ³
Loss on Drying (LOD)	< 10.0%	1.08%	Extremely low moisture content indicates excellent drying efficiency, crucial for preventing lipid hydrolysis and microbial growth during shelf life. ³
Particle Size	95% pass 80 mesh	Conforms	Ensures uniform blending in dry mixes and rapid dispersion in liquids. ¹⁹
Bulk Density	0.40 – 0.70 g/mL	0.55 g/mL	Important for capsule filling weight calculations.

4.3 Purity and Contaminant Control: Heavy Metals

Joyful Nutritional Supply employs Inductively Coupled Plasma Mass Spectrometry (ICP-MS), the gold standard for trace metal analysis, to ensure compliance with the strictest international regulations (e.g., USP, Prop 65).

Heavy Metal	Specification	Result	Regulatory Context

Total Heavy Metals	< 10 ppm	< 10 ppm	Standard industry limit for botanicals/extracts. ³
Lead (Pb)	< 3 ppm	< 3 ppm	Complies with USP limits for dietary supplements. ³
Mercury (Hg)	≤ 0.1 ppm	< 0.1 ppm	Extremely stringent limit, reflecting high purity. ³
Cadmium (Cd)	< 1.0 ppm	< 1.0 ppm	Ensures renal safety for long-term supplementation. ³
Arsenic (As)	< 1.0 ppm	< 1.0 ppm	Well below the typical 3-5 ppm allowed in some food additives. ³

4.4 Microbiological Standards

The inclusion of Arabic Gum (a natural polysaccharide) necessitates rigorous microbiological control to prevent fermentation or bacterial growth.

Test Item	Specification	Method	Result	Safety Implication
Total Plate Count	< 1,000 cfu/g	USP	< 100 cfu/g	Indicates high hygiene during spray drying and packaging. ³
Yeasts & Molds	< 100 cfu/g	USP	< 10 cfu/g	Prevents fungal spoilage in humid

				conditions. ³
E. Coli	Negative / g	USP	Negative	Zero tolerance pathogen. ³
Salmonella	Negative / 25g	USP	Negative	Zero tolerance pathogen. ³
Staph. Aureus	Negative / 25g	USP	Negative	Zero tolerance pathogen. ³

4.5 Compliance Statements

To facilitate global registration and consumer labeling, LiposoMore™ Vitamin B2 Powder carries the following declarations¹⁵:

- **Non-GMO:** Manufactured from identity-preserved non-GMO substrates.
- **Gluten-Free:** Contains no wheat, rye, barley, or cross-contaminated grains.
- **BSE/TSE Free:** No animal-derived ingredients prone to spongiform encephalopathy are used.
- **Irradiation Free:** Sterilized via thermal/physical means, not ionizing radiation.
- **Nano-Status:** While containing liposomes, the final aggregate powder particle size (>80 mesh) typically exempts it from "engineered nanomaterial" labeling in some jurisdictions, though the internal structure is nano-scale (100-300nm liposomes).¹¹

5. Product Advantages: The Science of "LiposoMore"

The value proposition of LiposoMore™ Vitamin B2 extends far beyond simple nutrient delivery. It is a technological solution to the inherent pharmacokinetic flaws of Riboflavin.

5.1 Breaking the Absorption Barrier (Bioavailability)

Standard crystalline riboflavin absorption is linear only up to doses of approximately 27 mg. Beyond this "saturation point," the Riboflavin Transporters (RFVT1, RFVT2, RFVT3) in the intestinal brush border become fully occupied, and absorption plateaus dramatically. A 100mg dose of standard B2 results in over 70mg being excreted unchanged in urine.²

The Liposomal Bypass Mechanism:

LiposoMore™ vesicles are not dependent on RFVT transporters. Instead, they utilize:

1. **Membrane Fusion:** The phospholipid bilayer of the liposome fuses with the enterocyte membrane, depositing the riboflavin payload directly into the cell.⁶

2. **Endocytosis:** Intestinal cells engulf the liposomal particles intact.
3. **Lymphatic Uptake:** Larger liposomal structures may be taken up by the M-cells of Peyer's Patches and transported via the lymphatic system (chylomicrons), bypassing the liver's "first-pass" metabolism.

This allows for high-dose efficacy where the body can actually utilize doses of 50mg, 100mg, or 400mg (common for migraine protocols) without the massive wastage associated with standard powder.⁵

5.2 Gastrointestinal Gentleness

High doses of B vitamins can cause nausea ("vitamin stomach") and unpleasant "vitamin burps" in sensitive populations.

- **Mechanism:** The Gum Arabic and phospholipid shell shields the stomach lining from the direct chemical irritation of the concentrated vitamin. Conversely, it protects the vitamin from the harsh hydrochloric acid (pH 1.5) of the stomach, which can degrade unprotected nutrients.²⁴
- **Result:** A gentler supplementation experience that improves consumer compliance for daily regimens.

5.3 Stability and Shelf-Life Extension

Riboflavin is notoriously photosensitive. Exposure to light causes it to degrade into lumichrome and lumiflavin, which are biologically inactive.²

- **Dual-Layer Protection:** The LiposoMore™ technology places the riboflavin inside a lipid sphere, which is further encapsulated in a solid Arabic Gum matrix. This provides a physical barrier against oxygen and a significant optical barrier against UV and visible light, preserving potency far longer than standard packaging alone.⁶ The COA supports this with a generous 24-month shelf life.³

6. Stability, Storage, and Packaging

Liposomal powders are technically sophisticated materials that require specific handling to maintain their supramolecular structure.

6.1 Stability Profile

The "Loss on Drying" value of 1.08%³ is a critical stability indicator. Liposomal powders with high moisture (>5%) are prone to "lipid hydrolysis," where the phospholipid tails break down into free fatty acids and lyso-phospholipids, destroying the liposome structure and causing

rancidity.²⁷ The exceptionally low moisture of LiposoMore™ ensures the integrity of the phospholipid bilayer is "locked" in the sugar-glass matrix of the Arabic Gum until rehydration.

6.2 Recommended Storage Conditions

To maximize the 2-year shelf life, the following conditions are mandatory ²¹:

- **Temperature:** Store in a cool, dry place, ideally **below 25°C (77°F)**. Excursions above 30°C can soften the lipid matrix, leading to caking.
- **Humidity:** Relative Humidity (RH) should be kept **below 60%**. Arabic gum is hygroscopic; excess moisture will dissolve the protective shell prematurely.
- **Light: Strict protection from light** is required due to Riboflavin's photosensitivity. Use opaque containers.
- **Oxidation:** Keep containers tightly sealed to minimize oxygen exposure, which protects the unsaturated fatty acids in the phospholipids.

6.3 Packaging Specifications

LiposoMore™ is supplied in industrial-standard packaging designed for maximum protection ³:

- **Unit Size:** 25 kg Net Weight.
- **Container Type:** High-Density Fiber Drum or Heavy-Duty Corrugated Carton.
- **Inner Liner:** Double-layered Food Grade Low-Density Polyethylene (LDPE) bags. The inner bag provides a moisture barrier; the outer bag provides mechanical strength. (Optionally, aluminized Mylar bags may be used for superior light/oxygen protection).

7. Formulation and Application Guidelines

LiposoMore™ Vitamin B2 Powder is designed for versatility in the nutraceutical industry. Its powder form solves the leakage and stability issues associated with liquid liposomes.

7.1 Primary Applications

1. **Migraine Support Formulas:** Clinical research suggests 400mg/day of Riboflavin can reduce migraine frequency.¹² LiposoMore™ allows for high-dose formulations with reduced gastric distress.
2. **Mitochondrial Energy Blends:** As a precursor to FAD/FMN, Riboflavin is the spark plug of the Krebs cycle. It pairs synergistically with CoQ10 and PQQ in energy supplements.³¹
3. **Athletic Performance:** Supports red blood cell formation and oxygen transport, crucial for endurance athletes.³¹
4. **Methylation Support:** Works in concert with B6, B9 (Folate), and B12 to regulate homocysteine levels.⁵

7.2 Formulation Considerations

- **Solubility:** The product is **water-dispersible**. It will form a cloudy, stable suspension (emulsion) in water, not a clear solution. This is visual proof of the liposomal content.³
 - **Heat Sensitivity:** Do not expose to prolonged high heat (>60°C) during manufacturing (e.g., gummy boiling stage). Add the powder at the latest possible stage (cooling phase) to preserve the liposome structure.³³
 - **Dosage Calculation:** With an assay of ~35-40%, a formulation requiring 100mg of elemental Vitamin B2 will require approximately 250mg - 285mg of LiposoMore™ powder.
 - **Taste Masking:** The lipid/gum encapsulation effectively masks the naturally bitter metallic taste of B2, making it suitable for chewables and sachets.¹⁴
-

8. Regulatory Landscape and Quality Assurance

8.1 Global Regulatory Status

- **USA:** Riboflavin is Generally Recognized As Safe (GRAS). Phospholipids (Lecithin) and Gum Arabic are also GRAS. This product is compliant with DSHEA regulations for dietary supplements.²¹
- **EU:** Riboflavin (E101) is an authorized food additive and nutrient source.
- **China:** Complies with GB standards for food nutrition enhancers.

8.2 Quality Control Protocols

Every batch of LiposoMore™ undergoes a multi-step release process:

1. **Raw Material Qualification:** Verification of ID and purity of the Riboflavin and Phospholipids.
 2. **In-Process Control:** Monitoring of particle size and encapsulation efficiency during spray drying.
 3. **Finished Product Testing:** Full COA generation including Assay (HPLC), Impurities, and Micro (USP/AOAC methods).
-

9. Conclusion

LiposoMore™ Liposomal Vitamin B2 Powder is not merely a commodity ingredient; it is a **functional delivery system**. By solving the fundamental absorption and stability limits of Riboflavin through advanced encapsulation, Joyful Nutritional Supply Co., Ltd. empowers brand owners to create products that are tangibly more effective.

Whether used in a high-performance energy drink, a migraine-support capsule, or a daily

multivitamin, LiposoMore™ delivers the promise of "**More**": More bio-efficacy, more stability, and more consumer satisfaction. The rigorous specification controls, evidenced by the clean heavy metal and microbiological profiles, ensure that this ingredient meets the highest standards of safety and quality required by the modern global marketplace.

Appendix A: Detailed Specification Table (TDS Summary)

Category	Item	Specification	Test Method
Identification	Product Name	LIPOSOMAL Vitamin B2 Powder	--
	Active Source	Riboflavin (Vitamin B2)	HPLC
	Excipients	Phospholipids, Arabic Gum	--
Physical	Appearance	Orange yellow powder	Visual
	Odor	Odorless	Organoleptic
	Solubility	Dispersible in water	Visual
	Loss on Drying	≤ 10.0% (Typical: ~1.0%)	USP
Chemical	Assay (Vit B2)	33.0% – 40.0%	HPLC
	Heavy Metals	< 10 ppm	ICP-MS

	(Total)		
	Lead (Pb)	< 3 ppm	ICP-MS
	Arsenic (As)	< 1.0 ppm	ICP-MS
	Cadmium (Cd)	< 1.0 ppm	ICP-MS
	Mercury (Hg)	≤ 0.1 ppm	ICP-MS
Microbiological	Total Plate Count	< 1,000 cfu/g	USP
	Yeasts & Molds	< 100 cfu/g	USP
	E. Coli	Negative / 10g	USP
	Salmonella	Negative / 25g	USP
	Staph. Aureus	Negative / 25g	USP
Storage	Shelf Life	24 Months (from Mfg Date)	--
	Storage	Store cool (<25°C), dry, dark	--

Note: Data based on typical analysis of Batch JN20250503005. Actual values may vary slightly by lot within specification limits.³

10. Extended Scientific Analysis (Internal Monograph)

10.1 The Biochemistry of Flavin Adenine Dinucleotide (FAD)

To understand the necessity of LiposoMore™, one must understand the destination of the ingredient. Riboflavin is biologically inert until it is converted into FMN and FAD. FAD is the electron acceptor in the Krebs Cycle (Succinate Dehydrogenase) and the electron donor in the Electron Transport Chain (Complex II). Without adequate intracellular FAD, ATP production stalls. Standard Riboflavin supplements often fail to raise intracellular FAD significantly because they cannot get past the intestinal barrier in sufficient quantities. LiposoMore™, by delivering Riboflavin directly to the cytoplasm via membrane fusion, potentially accelerates the pool of available substrate for FAD synthesis, thereby directly impacting mitochondrial energy output.²

10.2 The Physics of Spray-Dried Liposomes

The production of LiposoMore™ involves a delicate balance of thermodynamics. Liquid liposomes are thermodynamically unstable; they want to fuse (Ostwald ripening). Joyful Nutritional Supply utilizes a modified spray-drying technique.

- **The "Sugar Glass" Theory:** Gum Arabic is a long-chain polymer. During rapid evaporation in the spray dryer, the Gum Arabic transitions into a "glassy" amorphous state. This vitreous matrix immobilizes the liposomes. They are trapped in a solid grid, unable to move, collide, or fuse.
- **Rehydration:** When the powder hits water (or stomach acid), the Gum Arabic matrix dissolves. Because the liposomes were "frozen" in structure rather than destroyed, they spontaneously reconstitute into their vesicular form. This reversibility is the hallmark of a high-quality liposomal powder.¹¹

10.3 Comparative Pharmacokinetics

Studies on liposomal encapsulation of water-soluble vitamins (like C and B-complex) consistently show a shift in pharmacokinetic parameters:

- **Tmax (Time to Max Concentration):** Often delayed, indicating sustained release.
- **Cmax (Max Concentration):** Often higher, indicating better total absorption.
- **AUC (Area Under Curve):** significantly increased, representing total systemic exposure. LiposoMore™ is engineered to optimize these parameters, ensuring the consumer gets the maximum biological value from every milligram of Vitamin B2.5